

References

1. U.S. National Institutes of Health. Clinical guidelines on the identification, evaluation, and treatment of overweight and obesity in adults-the evidence report. *Obes Res* 6 (Suppl.2): 51S-209S [published erratum appears in *Obes Res* 1998; 6/6: 464.
2. World Health Organization. *Obesity: preventing and managing the global epidemic – report of a WHO consultation on obesity, 3-5 June, 1997*. World Health Organization, Geneva 1998.
3. Health Canada. Canadian Guidelines for Body Weight Classification in Adults. Health Canada: Ottawa, 2003.
4. Torrance GM, Hooper MD, Reeder BA. Trends in overweight and obesity among adults in Canada (1970-1992): evidence from national surveys using measured height and weight. *Int J Obes Relat Metab Disord* 2002; 26: 797-804.
5. Tremblay MS, Katzmarzyk PT, Willms JD. Temporal trends in overweight and obesity in Canada, 1981-1996. *Int J Obes Relat Metab Disord* 2002; 26: 538-543.
6. Statistics Canada. Measured obesity – adult obesity in Canada: Nutrition: findings from the Canadian Community Health Survey, Issue No. 1. Component of Statistics Canada catalogue no. 82-620-MWE2005001. ISSN: 1716- 6713. Ottawa, ON 2005
7. Katzmarzyk PT, Ardern CI. Overweight and obesity mortality trends in Canada, 1985-2000. *Can J Public Health* 2004; 95: 16-20.
8. Katzmarzyk PT, Janssen I. The economic costs associated with physical inactivity and obesity in Canada: an update. *Can J Appl Physiol* 2004; 29: 90-115.
9. Katzmarzyk PT, Janssen I, Ardern CI. Physical inactivity, adiposity and premature mortality. *Obes Rev* 2003; 4: 257-290.
10. Kassirer JP, Angell M. Losing weight—an ill-fated new year’s resolution. *New Engl J Med* 1998; 338: 52-54.
11. Raine K. Overweight and Obesity in Canada. *A Population Perspective*. Canadian Institute for Health Information, 2004.
12. Manson JE, Skerrett PJ, Greenland P, VanItallie TB. The escalating pandemics of obesity and sedentary lifestyle. *Arch Intern Med* 2004; 164: 249-258.
13. Muller MJ, Mast M, Asbeck I, Langnase K, Grund A. Prevention of obesity – is it

- possible? *Obesity Reviews* 2001; 215-228.
14. Hardeman W, Griffin S, Johnston M, Kinmonth AL, Wareham NJ. Interventions to prevent weight gain: a systematic review of psychological models and behavior change methods. *Int J Obes Relat Metab Disord* 2000; 24: 131-143.
 15. Fogelholm M, Lahti-Koski M. Community health-promotion interventions with physical activity: does this approach prevent obesity? *Scandinavian J Nutr* 2002; 46/4: 173-177.
 16. Fogelholm M, Kukkonen-Harjula K. Does physical activity prevent weight gain—a systematic review. *Obesity Reviews* 2000; 1: 95-111.
 17. Saris WHM, Blair SN, van Baak MA, Eaton SB, Davies PSW, Di Pietro L et al. How much physical activity is enough to prevent unhealthy weight gain? Outcome of the IASO 1st Stock conference and consensus statement. *Obesity Reviews* 2003; 4: 101-114.
 18. Issel ML. *Health program planning and evaluation*. Jones and Bartlett Publishers Canada, Mississauga 2004.
 19. Jeffery RW, Gray CW, French SA, Hellerstedt WL, Murray D, Luepker RV, Blackburn H. Evaluation of weight reduction in a community intervention for cardiovascular disease risk: changes in body mass index in the Minnesota heart health program. *Int J Obes Relat Metab Disord* 1995; 19: 30-39.
 20. Carleton RA, Lasater TM, Assaf A, Feldman HA, McKinlay S. The Pawtucket heart health program: community changes in cardiovascular risk factors and projected disease risk. *Am J Public Health* 1995; 85: 777-786.
 21. Fortmann SP, Williams PT, Hulley SB, Haskell WL, Farquhar JW. Effect of health education on dietary behavior: the Stanford three community study. *Am J Clin Nutr* 1981; 34: 2030-2038.
 22. Taylor CB, Fortmann SP, Flora J, Kayman S, Barrett DC, Jatulis D, Farquhar JW. Effect of long-term community health education on body mass index: the Stanford five-city project. *Am J Epidemiol* 1991; 134: 235-249.
 23. Goodman RM, Wheeler FC, Lee PR. Evaluation of the heart to heart project: lessons from a community-based chronic disease prevention project. *Am J Health Promotion* 1995; 9: 443-455.
 24. Tudor-Smith C, Nutbeam D, Moore L, Catford J (1998). Effects of the heartbeat Wales program over five years on behavioural risks for cardiovascular disease: quasi-experimental comparison from Wales and a matched reference area. *BMJ* 1998; 316:818-822.

25. Brownson RC, Smith CA, Pratt M, Mack NE, Jackson-Thompson J, Dean CG, Dabney S, Wilkerson JC. Preventing cardiovascular disease through community-based risk reduction: the Bootheel heart health project. *Am J Public Health* 1996; 86: 206-213.
26. Henderson MM, Kushi LH, Thompson DJ, Gorbach SL, Clifford CK, Insull W Jr, Moskowitz M, Thompson RS. Feasibility of a randomized trial of a low-fat diet for the prevention of breast cancer: dietary compliance in the women's health trial Vanguard study. *Prev Med* 1990; 19: 115-133.
27. Williams PT, Krauss RM, Vranizan KM, Wood PD. Changes in lipoprotein subfractions during diet-induced and exercise-induced weight loss in moderately overweight men. *Circulation* 1990; 81: 1293-1304.
28. Kristal AR, Curry SJ, Shattuck AL, Feng Z, Li S. A randomized trial of tailored, self-help dietary intervention: the Puget Sound eating disorders study. *Prev Med* 2000; 31: 380-389.
29. Schmitz KH, Jensen MD, Kugler KC, Jeffery RW, Leon AS. Strength training for obesity prevention in midlife women. *Int J Obes Relat Metab Disord* 2003; 27: 326-333.
30. King AC, Haskell WL, Taylor CB, Kraemer HC, DeBusk RF. Group-vs home-based exercise training in healthy older men and women: a community-based clinical trial. *JAMA* 1991; 266: 1535-1542.
31. Slentz CA, Duscha BD, Johnson JL, Ketchum K, Aiken LB, Samsa GP, Houmard JA, Bales CW, Kraus WE. Effects of the amount of exercise on body weight, body composition, and measures of central obesity: STRRIDE-a randomized controlled study. *Arch Intern Med* 2004; 164: 31-39.
32. Donnelly JE, Hill JO, Jacobsen DJ, Potteiger J, Sullivan DK, Johnson SL, Heelan K, Hise M, Fennessey PV, Sonko B, Sharp T, Jakicic JM, Blair SN, Tran ZV, Mayo M, Gibson C, Washburn RA. Effects of a 16-month randomized controlled exercise trial on body weight and composition in young, overweight men and women: the Midwest exercise trial. *Arch Intern Med* 2003; 163: 1343-1350.
33. LaRosa JC, Cleary P, Muesing RA, Gorman P, Hellerstein HK, Naughton J. Effect of long-term moderate physical exercise on plasma lipoproteins: the national exercise and heart disease project. *Arch Intern Med* 1982; 142: 2269-2274.
34. Simkin-Silverman LR, Wing RR, Boraz MA, Kuller LH. Lifestyle intervention can prevent weight gain during menopause: Results from a 5-year randomized clinical trial. *Ann Behav Med* 2003; 26: 212-220.

35. Kuller LH, Simkin-Silverman LR, Wing RR, Meilahn EN, Ives DG. Women's healthy lifestyle project: a randomized clinical trial: results at 54 months. *Circulation* 2001; 103: 32-37.
36. Jeffery RW, French SA. Preventing weight gain in adults: the pound of prevention study. *Am J Public Health* 1999; 89: 747-751.
37. Mayer JA, Jermanovich A, Wright BL, Elder JP, Drew JA, Williams SJ. Changes in health behaviors of older adults: the San Diego medicare preventive health project. *Prev Med* 1994; 23: 127-133.
38. Pan X-R, Li G-W, Hu Y-H, Wang JX, An ZX, Hu ZX, Lin J, Xiao JZ, Cao HB, Liu PA, Jiang XG, Jiang YY, Wang JP, Zheng H, Zhang H, Bennett PH, Howard BV. Effects of diet and exercise in preventing NIDDM in people with impaired glucose tolerance. *Diabetes Care* 1997; 20: 537-544.
39. Jeffery RW, Sherwood NE, Brelje K, Pronk NP, Boyle R, Boucher JL, Hase K. Mail and phone interventions for weight loss in a managed-care setting: weigh-to-be one-year outcomes. *Int J Obes Relat Metab Disord* 2003; 27: 1584-1592.
40. Bjorkelund CV, Bengtsson CB, Carazo B, Palm L, Tarschys G, Wassen A . Effects of a community risk factor reducing programme on weight, body fat distribution, and lipids in obese women. *Int J Obes Relat Metab Disord* 1991; 15: 251-258.
41. Forster JL, Jeffery RW, Schmid TL, Kramer FM. Preventing weight gain in adults: a pound of prevention. *Health Psychol* 1988; 7: 515-525.
42. Jeffery RW, French SA. Preventing weight gain in adults: Design, methods and one year results from the Pound of Prevention Study. *Int J Obes Relat Metab Disord* 1997; 21: 457-464.
43. Thompson PD, Buchner D, Pina IL, Balady GJ, Williams MA, Marcus BH et al. Exercise and physical activity in the prevention and treatment of atherosclerotic cardiovascular disease. *Circulation* 2003; 107: 3109-3116.
44. Pasanisi F, Contaldo F, de Simone G, Mancini M. Benefits of sustained moderate weight loss in obesity. *Nutr Metab Cardiovasc Dis* 2001; 11: 401-406.
45. Kolotkin RL, Meter K, Williams GR. Quality of life and obesity. *Obesity Reviews* 2001; 2: 219-229.
46. Yang D, Fontaine KR, Wang C, Allison DB. Weight loss causes increased mortality: cons. *Obesity Reviews* 2003; 4: 9-16.

47. Sorensen TIA. Weight loss causes increased mortality: pros. *Obesity Reviews* 2003;4:3-7.
48. Williamson DF, Thompson TJ, Thun M, Flanders D, Pamuk E, Byers T. Intentional weight loss and mortality among overweight individuals with diabetes. *Diabetes Care* 2000; 23: 1499-1504.
49. Gregg EW, Gerzoff RB, Thompson TJ, Williamson DF. Intentional weight loss and death in overweight and obese U.S. adults 35 years of age and older. *Ann Intern Med* 2003; 138: 383-389.
50. Flegal KM, Carroll MD, Kuczmarski RJ, Johnson CL. Overweight and obesity in the United States: prevalence and trends, 1960-1994. *Int J Obes Relat Metab Disord* 1998; 22: 39-47.
51. Harris RP, Helfand M, Woolf SH et al. Current methods of the U. S. preventive services task force: a review of the process. *Am J Prev Med* 2001; 20/3S: 21-35.
52. Truman BI, Smith-Akin CK, Hinman AR et al. Developing the guide to community preventive services—overview and rationale. *Am J Prev Med* 2000; 18/1S: 18-26.
53. Briss PA, Zaza S, Pappaioanou M et al. Developing an evidence-based guide to community preventive services—methods. *Am J Prev Med* 2000; 18/1S: 35-43.
54. Dietz WH. Early influences on body weight regulation. In: Bouchard C, Bray GA (eds.). *Regulation of body weight – biological, behavioral mechanisms*. Wiley and Sons: Chichester, 1996, pp 149-158.
55. Barker DJP, Blundell JE, Dietz WH, Epstein LH, Jeffrey RW, Remschmidt H et al. . What are the bio-behavioral determinants of body weight regulation? In: Bouchard C, Bray GA (eds.). *Regulation of body weight – biological, behavioral mechanisms*. Wiley and Sons: Chichester, 1996, pp 159-177.
56. U.S. Preventive Services Task Force. Screening for obesity in adults: recommendations and rationale. *Ann Intern Med* 2003; 139: 930-932.
57. Wei M, Kampert JB, Barlow CE, Nichaman MZ, Gibbons LW, Paffenbarger RS, Jr., Blair SN. Relationship between low cardio-respiratory fitness and mortality in normal-weight, overweight, and obese men. *JAMA* 1999; 282: 1547-1553.
58. Ross R, Katzmarzyk PT. Cardio-respiratory fitness is associated with diminished total and abdominal obesity independent of body mass index. *Int J Obes Relat Metab Disord* 2003; 27: 204-210.

59. Janssen I, Katzmarzyk PT, Ross R, Leon AS, Wilmore JH, Skinner JS, Rao DC, Rankinen T, Bouchard C. Fitness alters the association of BMI and waist circumference with total and abdominal fat. *Obes Res* 2004; 12: 525-537.